

The Baths Hall - Technical Information

Parking



Non-public, gated, and lockable car park compound with 40 car parking spaces plus additional room for several larger vehicles - e.g. artics, tour buses, coaches etc.

Overnight access via Gate code lock - please contact the Technical Manager to arrange

Load In

Found at rear of building via side road and car park compound, fully enclosed and lockable loading bay large enough to accommodate 1 X 45ft trailer. There is a large, open platform lift from loading bay to stage level.

Lift and Door Dimensions:



Stage

Dimensions: 22m X 10m

Height: 1m seated, 1.5m standing

Usual performance area: 14m x 10m

Black box configuration with 3 sets of legs hung from LX trusses

Floor to grid: 9.5m

Floor to underneath trusses: 7m (Normal Trim).

35 Stage Decks staging 2m x 1m with Legs @ 200mm, 400mm, 600mm & 800mm.

20 black stage weights

6 X 8'X4' black flats c/w stage braces

Soft proscenium created with Border and side drapes on motorised winched bars and truss.

Rigging

Full Slingco Tension Wire Grid above stage and 75% of the auditorium.

Rolling beams above stage level for additional rigging points, 560kg per beam.

4 x 14m trusses positioned down, mid and upstage hung on rolling beams that can be repositioned, and are rated 1000kg UDL per truss, normally used for in house lighting fixtures.

1 X 10m Advanced Truss (1000kg UDL)

1 x 7m Balcony Truss (1000kg UDL)

Black Cloth bar at rear of stage (500kg UDL)

PA System

Acoustically designed auditorium.

d&b Q Series line array flown in-line with down stage edge consisting of the following:

Flying - 6 x Q1 boxes & 1 x Q7 wide throw box per side

Stage level stack - 2 x J Subs and 3 x Max 15 infills per side

Yamaha LS9 32ch - FOH

6 X Sennheiser EM300 G3 Receivers

3 X Sennheiser Handheld Microphones

4 X Sennheiser Beltpacks with headset presenter mics

2 X Tascam CD Player

1 X Yamaha MG166C Analogue Mixing Console

Canford ring intercom system with belt packs with 3 independent circuits.

Sennheiser infra-red, Accessible Audio access system fed from the Stage relay microphone.

Lighting

Avolites Quartz Lighting desk and Titan Wing

ETC Sensor dimmers, accessed via hard wired socapex or 16amp sockets

50 X Par 64 (Mix of CP61/CP62)

12 X Par 64 floor cans

28 X Selecon Rama Fresnels 1200w

16 X Selecon SPX 25° -50° Profiles

25 X Selecon SPX 15° - 35° Profiles

6 X Selecon Lui Cyc 4-Battens

Moving Lights

To be rigged per show (Package Recharge Applies)

6 X Robe ColorSpot 700E

8 X GLP Volkslicht

Le Maitre XS hazer

2 x Robert Juliet Aramis followspots

Full access to FOH LX rigging positions via tension wire grid.

Standard rig colours: L119, L135, L106 & L128 as per LX plan

Mixing Position

In centre of balcony, access via front of house lift.

3 rows deep by 6 seats (can be converted back to customer seating)

2.9m X 1.6m

Various tie lines and power outlets available.

Position available underneath balcony for standing performances.

LX and Sound can also be operated via dedicated control rooms at the rear of the auditorium.

PowerStage left

63A 1ph Ceeform

32A 1ph Ceeform

16A 1ph Ceeform

Multiple 13A sockets

Stage Right

32A 3ph Ceeform

16A 1ph Ceeform

Multiple 13A sockets

Stage Right Scene Dock – requires 10m minimum cable length

Power Panel 1 400V 250A Power Locks, 3 X 125A 3ph Ceeform, 2 X 63A 3ph Ceeform,
4 X 32A 3ph Ceeform.

Power Panel 2 Ceeform sockets including 63A 3ph, 63A 1ph, 32A 1ph, 2 X 16A 1ph.

Power Panel 3 Ceeform sockets including 125A 3ph, 63A 1ph, and 16A 1ph.

External Bus Bay

2 X 16A 1ph Ceeform

Cold water Feed

Stage Door Keeper's Entrance

Discreet direct Access via External Accessible Ramp

Lockable Office with Accessible sign-in counter

Multi View CCTV Monitoring Position

Site specific - Motorola Base Station with Handheld Radios

Extensive Towel Stock in Lockable Cupboard

Backstage Rooms

1 x Backstage Crossover Corridor with Accessible Lifts at each end.

4 x dressing rooms (7m x 6m each room) fitted with lit vanity mirrors, desks, storage, and AC control

2 x VIP dressing rooms with ensuite bathroom, shower, wardrobe, desk, and TV

8 x individual showers

6 x individual WCs

1 x Accessible Washroom with shower and WC

1 x Dedicated Laundry Room with 2 x washing machine, and 2 x driers

1 x Green Room with fitted kitchenette, oven, microwave, kettle and TV

1 x Tech crew room with fitted kitchenette, oven, microwave, kettle, and TV

All rooms fitted with stage relay, level control monitor speakers

Easy push-route for FOH merchandise via dedicated ramp

Full Kitchen

Extensive event catering facilities

Stainless Work surfaces

Gas range appliances

Walk in Fridge

Pot washing Machines

Front of house - function room dimensions

Main Hall (seats removed) 22m X 28m

Ground floor bar 26m X 9m

First floor bar 20m X 9m

First Floor dining room 11m X 11m

Private meeting room 7m X 5m

technical@scunthorpetheatres.co.uk